


*Z Elevatör*

| KOVALI TAŞIMA                | En    | Boy   | Yükseklik |
|------------------------------|-------|-------|-----------|
| Kovalı Elevatör KE-3000      | 0,915 | 2,085 | 0,85      |
| Kovalı Elevatör KE-4000      | 0,86  | 1,34  | 1,12      |
| Z Elevatör ZED-2000          | 1,528 | 3,312 | 0,146     |
| Z Elevatör ZEG-3000          | 1,436 | 3,195 | 0,146     |
| Z El. Devirme Kov. ZEDK-5000 | 1,1   | 1,76  | 1,02      |
| Z Elevatör ZEM-5000          | 1,008 | 1,657 | 0,681     |
| Dikey Asansör DA-421         | 0,828 | 1,212 | 0,652     |

*Paletli Elevatör*

| BANTLI TAŞIMA             | En    | Boy   | Yükseklik |
|---------------------------|-------|-------|-----------|
| Paletli Elevatör PE-2000  | 0,915 | 2,085 | 0,85      |
| Konveyör Band KB-5000     | 0,86  | 1,34  | 1,12      |
| Konveyör B. Pno. KBP-5000 | 1,528 | 3,312 | 0,146     |
| Elev. Meyve Taş. EMT-1000 | 1,436 | 3,195 | 0,146     |
| Tartım Konveyörü TK-4000  | 1,1   | 1,5   | 1,02      |

## ÖZELLİKLER

Elevatör üzerindeki taşıyıcı paletli bant anti-bakteriyel ve anti-statik özelliklere sahiptir ve sessiz bir şekilde çalışmaktadır. Gövdesi tamamen AISI 304 kalite paslanmaz çelik malzemeden imal edilmiştir.

2000kg/h kapasiteden 10000kg/h kapasiteye kadar değişik 3 model üretim yapılmaktadır.



### *C Elevatör*

*Devirme kaliteli, çok noktalı dökme kontrollü*



# CESEL SAN



**KONVEYÖRLER**

